

- Air-and liquid-tight
- Aging resistance, more than 20 years working in normal indoor condition
- Corrosion resistance in acidity, alkaline, salt place
- HB according to UL94



Part number

PR-HPP00-XX-XX-XXX	Hard PVC pipe with different size
1 2 3 4	
*1 HPP00 indicate conduit type	
*2 XX indicates the pipe dimension	
*3 XX indicates the pipe color, BK=Black, WH=White, GY=Gray	
*4XXX indicates the pipe length	
E.g. PR-HPP00-25-WH-3000, means PVC pipe De25mm, white, length 3m	

Available PNs

Part number	Inch	DN(mm)	De(mm)	Description
PR-HPP00-13-WH-3000	-	-	13	PVC pipe De13mm, white, length 3m
PR-HPP00-16-WH-3000	3/8"	10	16	PVC pipe De16mm, white, length 3m
PR-HPP00-20-WH-3000	1/2"	15	20	PVC pipe De20mm, white, length 3m
PR-HPP00-25-WH-3000	3/4"	20	25	PVC pipe De25mm, white, length 3m
PR-HPP00-32-WH-3000	1"	25	32	PVC pipe De32mm, white, length 3m
PR-HPP00-40-WH-3000	1 1/4"	32	40	PVC pipe De40mm, white, length 3m
PR-HPP00-50-WH-3000	1 1/2"	40	50	PVC pipe De50mm, white, length 3m
PR-HPP00-63-WH-3000	2"	50	63	PVC pipe De63mm, white, length 3m
PR-HPP00-75-WH-3000	2 1/2"	65	75	PVC pipe De75mm, white, length 3m
PR-HPP00-90-WH-3000	3"	80	90	PVC pipe De90mm, white, length 3m
PR-HPP00-110-WH-3000	4"	100	110	PVC pipe De110mm, white, length 3m
PR-HPP00-140-WH-3000	5"	125	140	PVC pipe De140mm, white, length 3m
PR-HPP00-160-WH-3000	6"	150	160	PVC pipe De160mm, white, length 3m
PR-HPP00-225-WH-3000	8"	200	225	PVC pipe De225mm, white, length 3m
PR-HPP00-250-WH-3000	10"	250	250	PVC pipe De250mm, white, length 3m
PR-HPP00-315-WH-3000	12"	300	315	PVC pipe De315mm, white, length 3m

*Different color is available

Accessories

Part number	Dimension(mm/inch)	Description
PR-PA-CCP-XX	Clamp type1, XX indicate the pipe dimension	
PR-PA-CCP2-XX	Clamp type2, XX indicate the pipe dimension	
PR-PA-CCP3-XX	Clamp type3, XX indicate the pipe dimension	
PR-PA-RCP-XX	Right angled coupling, XX indicate the pipe dimension	
PR-PA-SCP-XX	Straight coupling, XX indicate the pipe dimension	
PR-PA-EB-XX	End bell, XX indicate the pipe dimension	
PR-PA-BCP-XX	Bending pipe, XX indicate the pipe dimension	
PR-PA-DCP-XX	Double Elbow, XX indicate the pipe dimension	
PR-PA-LTCP-XX	Large Radius Tee coupling, XX indicate the pipe dimension	
PR-PA-TCP-XX	Tee coupling, XX indicate the pipe dimension	
PR-PA-EDC-XX	End cap, XX indicate the pipe dimension	
PR-JB00-4x1-XX	Junction box, 4 holes around, XX indicate the pipe dimension	

Assembly

PR-HPP00-XX-XX-S1-3000	PVC conduit 4m with clamp 3set, for OD<50mm	
PR-HPP00-XX-XX-S2-3000	PVC conduit 4m with clamp 3set, for OD<100mm	
PR-HPP00-XX-XX-S3-3000	PVC conduit 4m with clamp 3set, for OD > 100mm	

Material

Body material	PVC
---------------	-----

Environment

Working temperature	-15°C to +70°C
Fire resistance	UL94-HB
RoHS	Compliant

While the information has been carefully compiled to the best of our knowledge, nothing is intended as representation or warranty on our part and no statement herein shall be construed as recommendation to infringe existing patents. In the effort to improve our products, we reserve the right to make changes judged to be necessary.