

Features

PROSE provides front remove type faceplates with one or two ports, the RJ45 keystone can be easily removed and assembled. Each port is with dust cover. Standard 86mm×86mm size, can be embedded in the wall or open, simple appearance, integrated with the indoor environment. With its compact size, flexible installation and diversified functions, it has become the ideal choice for modern network cabling.

Profile/Outline



Features/Benefits

- Protect the internal wiring and socket components from dust, debris and accidental contact, reducing the risk damage or short-circuits.
- Designed with flip-top transparent label frame, easy to manage and trace cable connections.
- Front removable design is much friendly for on-site maintenance.
- EU RoHS compliance.

Characteristic

Suitable for standard 86 style wall box	
Plate material	plastic, UV94 V-0 rated
EU RoHS compliance	
Color	White
Dimensions	86mm×86mm×12.3mm
Connector retention	20lbs
Storage temperature range	-40°C to +70°C
Installation temperature range	-10°C to +60°C
Operating temperature range	-10°C to +60°C

Packing Information

Weight	About 55g(Single Port);60g (Dual Port)
Included parts	6-32 screw, carton label, clear window
Packaging	Individually packaged in a plastic bag

Ordering Information

Faceplate	Type	Structure	-	Qty of Port	Port Feature	Material	-	Color
WF : Wall Faceplate	1: 86 type 86*86" 2: 120 type 120*60" 3: American& British Type 4: Coaxial cable panel 5: 86 type for Fiber Fiber Faceplate"	1: Plane 2: Angled 3:Plane,remove from frontside 4:Under Floor		1: Single Port 2: Dual Port 3: Three Port 4: Four Port	2: With dust cover	1 : PC/ABS ULV94-V0	-	WH: White MT: Metal GD: Golden SL: Silver BK: Black IV: Ivory

For Example:

Order Number	Description
WF13-121-WH	Faceplate, Plane, Front remove, Single Port, With Dust Cover, White
WF13-221-WH	Faceplate, Plane, Front remove, Dual Port, With Dust Cover, White

Rev. 1.0 | 3 / 3